TSUNAMI™
PREMIUM INSTALLATION ACCESSORIES
tsunamionline.com

TSUNAMI DELIVERS THE COMPETITIVE EDGE

Dedicated to the best in car audio and multimedia performance, Tsunami delivers the advanced technology, finest quality materials, reliability and sleek aesthetics that give any install the winning edge in both power and style. Whether the intent is to take a ride to the next level or dominate the competition circuit, Tsunami provides all the products to achieve the installer's goal.

Tsunami products are premium all the way. Distribution blocks are made of heavier construction to handle the high current demands of competition-level installations. As other manufacturers reduce the amount of metal in their products to keep costs down, Tsunami adds it to ensure dependable, winning performance under demanding conditions. Plating is the best in the industry, applied according to our uncompromising, strict specifications. The plastic in our products is the same high-temperature OEM plastic used in automobile construction. Our true-specification cables ensure the highest audio and video quality that the connected mobile electronics can deliver.

TABLE OF CONTENTS

RCA CABLES

X20 RCA TWISTED RCA	4
V10 RCA TWISTED RCA	5
TSRCA TWISTED RCA	6
RTP950 TWISTED RCA	7
701 SERIES 2-CHANNEL	8
600 & 603 SERIES RCA	9
604 & V950 SERIES RCA	10

CABLE & WIRE

POWER & GROUND	12
SPEAKER	13
FLAT	14

POWER SOURCE

BT TERMINALS	16-18

FUSE HOLDERS

1 & 2 POSITION	20-22

DISTRIBUTION BLOCKS

GROUND	24-25
GROUND & POWER	26
DISTRIBUTION	27
FUSE	28-30

POWER CAPS

1.2 & 2 FARAD	32
2, 5 & 10 FARAD	33
20 & 40 FARAD	34

ACCESSORIES

BARREL CONNECTORS	10
HEAVY-DUTY RING TERMINALS	36
NICKEL/GOLD RING TERMINALS	36-37
SPADE TERMINALS	37
REDUCING ADAPTER	37
TERMINAL CLIPS	38
BANANA PLUGS	38
CIRCUIT BREAKERS	39
FUSES	40

AMP KITS

1/0 & 2 GAUGE	42
4 GAUGE	43
4 & 8 GAUGE	44
8 & 10 GAUGE	45
1 & 4 GAUGE DUAL AMP	46
4 & 8 GAUGE WITH POWER CAP	46

MERCHANDISING

3D SLAT WALL HEADER	47
BANNER	47
T-SHIRT & HAT	47
WIRE SPOOL DISPLAY STAND	47
AUTHORIZED DEALER PLAQUE	48
DISPLAY RACK 650 HEADER	48
DISPLAY RACK 600	48
PREMIUM PLANOGRAMS	49-50

RCA INTERCONNECTS

X20 CABLES

- NICKEL-PLATED SPLIT TIPS & RINGS
- COLOR-CODED HIGH-TECH BARRELS
- MOLD-LOCK STRAIN RELIEFS
- CAT-5 TWISTED-PAIR TECHNOLOGY
- TINNED DIRECTIONAL BRAIDED SHIELDING
- SUPER-FLEX JACKETS

X20 SERIES

TWISTED

X20-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
X20-3	RCA CABLE (MALE TO MALE) 3' (914mm)
X20-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
X20-9	RCA CABLE (MALE TO MALE) 9' (2.74m)
X20-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
X20-12	RCA CABLE (MALE TO MALE) 12' (3.66m)
X20-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
X20-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
X20-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
X20-Y1	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)
X20-Y2	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
X204-17	4-CHANNEL RCA CABLE (MALE TO MALE) 17' (5.18m)

THE X20 TWISTED PAIR ADVANCE AUDIO INTERCONNECTS FEATURES THE LATEST CAT-5 TWISTED PAIR TECHNOLOGY WITH A DOUBLE BRAIDED OUTER SHIELD FOR THE ULTIMATE IN NOISE REJECTION. MADE WITH 100% OXYGEN FREE COPPER AND PRECISION WOUND TECHNOLOGY WILL RESULT IN AN AUDIOPHILE PERFORMANCE WITH TOTALLY ACCURATE AND TRANSPARENT SOUND REPRODUCTION. THE DESIGN ALSO UTILIZES A SUPER FLEX PVC JACKET AND CUSTOM DESIGNED METAL BARREL CONNECTOR MAKING THIS INTERCONNECT EASY TO INSTALL.

V10 CABLES

- NICKEL-PLATED SPLIT TIPS & RINGS
- STYLISH BARREL TO MATCH V10 SERIES
- STRAIN RELIEFS ADD TO DURABILITY
- TWISTED-PAIR TECHNOLOGY
- CAT-5 SPECIFICATIONS FOR NOISE-FREE SOUND

PATENTED DESIGN
EXCLUSIVE TSUNAMI DESIGN



TSUNAMI V10 SERIES CABLES FEATURE PROVEN CATEGORY 5 (CAT-5) SPECIFICATIONS, WITH VERY TIGHTLY-WOUND TWISTED-PAIR CONSTRUCTION FOR THE ABSOLUTE LOWEST NOISE POSSIBLE AND BALANCED LINE DESIGN FOR ACCURATE SOUND REPRODUCTION. LOW CAPACITANCE DIELECTRICS OVER PURE OFC TINNED COPPER STRANDS INSURE HIGHEST CLARITY AND DYNAMIC RANGE. WOVEN COTTON COVERING AND TOUGH CLEAR OUTER JACKETS PROVIDE SUPERIOR PROTECTION AND COSMETIC APPEAL. THE COMPACT DESIGN SUPER-FLEX CABLE COUPLED WITH MINI-PROFILE RCA PLUGS CONTRIBUTE TO EASE OF INSTALLATION AND COSMETICS.

V10 SERIES

TWISTED | **2 & 4 CHANNEL**

V10-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
V10-3	RCA CABLE (MALE TO MALE) 3' (914 mm)
V10-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
V10-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
V10-12	RCA CABLE (MALE TO MALE) 12' (3.66m)
V10-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
V10-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
V10-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
V10-Y1	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
V10-Y2	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)
V104-17	4-CHANNEL RCA CABLE (MALE TO MALE) 17' (5.18m)

TSRCA CABLES

- SINGLE CONDUCTOR LEADS
- COLOR-CODED HIGH-TECH BARRELS
- SOFT TOUCH RUBBER ENDS
- TWISTED-PAIR NOISE REDUCTION
- OXYGEN-FREE COPPER CABLE
- HIGH FLEX MATTE FINISH JACKETS

TSRCA SERIES *NEW*

TWISTED

TSRCA-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
TSRCA-3	RCA CABLE (MALE TO MALE) 3' (914mm)
TSRCA-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
TSRCA-9	RCA CABLE (MALE TO MALE) 9' (2.74m)
TSRCA-12	RCA CABLE (MALE TO MALE) 12' (3.66m)
TSRCA-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
TSRCA-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
TSRCA-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
TSRCA-Y1	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)
TSRCA-Y2	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)

THE TSRCA SERIES INTER CONNECT PROVIDE ULTRA TOP END PERFORMANCE AND ARE CONSTRUCTED TO PROVIDE IT AT AN ECONOMICAL PRICE. THEY WILL PROVIDE OUTSTANDING NOISE RESTRICTION USING TWISTED PAIR TECHNOLOGY AND ARE PRECISION WOUND RESULTING IN AUDIOPHILE PERFORMANCE. THESE CABLES ARE SUPER FLEXABLE USING SOFT RUBBER JACKETS AND INCORPORATE THE SMALLEST RCA ENDS AND SPLITTER POSSIBLE FOR EASY INSTALLATION.

RTP950 CABLES

- NICKEL-PLATED SPLIT TIPS & RINGS
- COLOR-CODED HIGH-TECH BARRELS
- MOLD-LOCK STRAIN RELIEFS
- CAT-5 TWISTED-PAIR TECHNOLOGY
- TINNED DIRECTIONAL BRAIDED SHIELDING
- SUPER-FLEX JACKETS

TSUNAMI'S RTP SERIES RCA CABLES DELIVER SERIOUS HIGH-PERFORMANCE AUDIO AND HIGH-END DESIGN AT AN EXCELLENT VALUE. COMPLETELY THOUGHT THROUGH AT EVERY LEVEL, ITS UNIQUE MOLDED COMPACT-SIZE PLUG MAKES FOR INSTALLATION EASE, WHILE ITS TWISTED-PAIR CONDUCTORS ARE TWISTED TO THREE TURNS PER INCH – THE DE FACTO STANDARD FOR UPGRADE CABLES – FOR EXCEPTIONAL NOISE REJECTION. FOIL SHIELDING PROVIDES PROTECTION AGAINST RADIATED NOISE AND HAS A NEWLY DESIGNED CONNECTOR FOR A MORE POSITIVE CONNECTION.

RTP950 SERIES

TWISTED	2 & 4 CHANNEL
RTP950-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
RTP950-3	RCA CABLE (MALE TO MALE) 3' (914mm)
RTP950-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
RTP950-9	RCA CABLE (MALE TO MALE) 9' (2.74m)
RTP950-12	RCA CABLE (MALE TO MALE) 12' (3.66m)
RTP950-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
RTP950-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
RTP950-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
RTP950-Y1	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
RTP950-Y2	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)
RTP950-Y3	RCA (2-MALE TO 1 - 3.5MM MALE) 7' (2.13m)
RTP9504-17	4-CHANNEL RCA CABLE (MALE TO MALE) 17' (5.18m)

701 CABLES

- NICKEL-PLATED SPLIT TIPS & RINGS
- ULTRA SMALL CONNECTOR
- MOLDED IN STRAIN RELIEF
- DOUBLE SHIELDED
- PURE OFC STRANDS

TSUNAMI'S 701 SERIES CABLES PROVIDE EXCELLENT QUALITY, DYNAMIC RANGE AND FREQUENCY RESPONSE WITH PURE OFC STRANDS. BRAIDED SHIELDING RESULTS IN SIGNIFICANT NOISE REDUCTION. BLUE AND SILVER CODED TIPS ENSURE DEFINITIVE LEFT/RIGHT IDENTIFICATION, WHILE BRIGHT NICKEL-PLATED CONNECTORS WITH A HIGH-QUALITY FLEXIBLE JACKET MAKE FOR EASY INSTALLATION.

701 SERIES

NICKEL	2 CHANNEL

RCA701-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
RCA701-3	RCA CABLE (MALE TO MALE) 3' (914mm)
RCA701-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
RCA701-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
RCA701-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
RCA701-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
RCA701-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
RCA701-Y1	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
RCA701-Y2	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)
RCA7014-17	RCA CABLE (MALE TO MALE) 4 CHANNEL 17' (5.18m)

600 CABLES

600 SERIES *NEW AND IMPROVED*

GOLD

RCA600-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
RCA600-3	RCA CABLE (MALE TO MALE) 3' (914mm)
RCA600-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
RCA600-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
RCA600-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
RCA600-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
RCA600-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
RCA600-25	RCA CABLE (MALE TO MALE) 25' (7.62m)
RCA600-Y1	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
RCA600-Y2	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)

BULK PACK - 10 PACK

GOLD

RCA610-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
RCA610-3	RCA CABLE (MALE TO MALE) 3' (914mm)
RCA610-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
RCA610-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
RCA610-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
RCA610-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
RCA610-20	RCA CABLE (MALE TO MALE) 20' (6.10m)
RCA610-Y1	RCA (1-FEMALE TO 2-MALE) "Y" CONNECTOR 6" (152mm)
RCA610-Y2	RCA (2-FEMALE TO 1-MALE) "Y" CONNECTOR 6" (152mm)

603 CABLES



603 SERIES *NEW AND IMPROVED*

GOLD WITH VIDEO

RCA603-1.5	RCA CABLE (MALE TO MALE) 1.5' (457mm)
RCA603-3	RCA CABLE (MALE TO MALE) 3' (914mm)
RCA603-6	RCA CABLE (MALE TO MALE) 6' (1.83m)
RCA603-10	RCA CABLE (MALE TO MALE) 10' (3.05m)
RCA603-14	RCA CABLE (MALE TO MALE) 14' (4.27m)
RCA603-17	RCA CABLE (MALE TO MALE) 17' (5.18m)
RCA603-20	RCA CABLE (MALE TO MALE) 20' (6.10m)

604 CABLES

604 SERIES *NEW AND IMPROVED*

GOLD	4 CHANNEL

RCA604-17	RCA CABLE (MALE TO MALE) 17' (5.18m)

950 CABLES

Video SERIES

NOW THAT MOBILE VIDEO IS A NECESSITY, TSUNAMI'S NEW V950 RCA VIDEO CABLE HITS THE SWEET SPOTS FOR PERFORMANCE AND PRICE. ACHIEVING TRUE 75-OHM IMPEDANCE FOR THE BEST POSSIBLE PICTURE, RESOLUTION AND COLOR, THE V950 ALSO FEATURES TSUNAMI'S INNOVATIVE COMPACT PLUG AND CABLE DESIGN FOR EASIER CABLE RUNS AND NEATER INSTALLATIONS.

V950 SERIES *NEW AND IMPROVED*

GOLD	RCA VIDEO

V950-3	RCA VIDEO CABLE (MALE TO MALE) 3' (914mm)
V950-6	RCA VIDEO CABLE (MALE TO MALE) 6' (1.83m)
V950-9	RCA VIDEO CABLE (MALE TO MALE) 9' (2.74m)
V950-12	RCA VIDEO CABLE (MALE TO MALE) 12' (3.66m)
V950-17	RCA VIDEO CABLE (MALE TO MALE) 17' (5.18m)
V950-20	RCA VIDEO CABLE (MALE TO MALE) 20' (6.10m)

PATENTED DESIGN
EXCLUSIVE TSUNAMI DESIGN

BC BARREL

RCA800-BFN ACCESSORIES

NICKEL	FEMALE

RCA BARREL CONNECTOR
FEMALE TO FEMALE PAIR

BC BARREL

RCA700-BF ACCESSORIES

GOLD	FEMALE

RCA BARREL CONNECTOR
FEMALE TO FEMALE PAIR

CABLE & WIRE

1000 FEET
POWER CABLE
1000 FEET
SPEAKER WIRE
1000 FEET
SPEAKER WIRE
1000 FEET
POWER CABLE
TSUNAMI
1/0 GAUGE

DO YOU KNOW WHAT'S IN YOUR CABLE AND WIRE SPOOLS? TSUNAMI BATTERY CABLE AND SPEAKER WIRE ARE THE "REAL DEAL." COMPROMISE AND "COPPER CHALLENGED" SPECS ARE NOT PART OF TSUNAMI'S WORLD AND THEY SHOULDN'T BE PART OF YOURS, EITHER. WHEN YOUR SYSTEM REQUIRES HIGH CURRENT, TSUNAMI WILL DELIVER EXACTLY WHAT YOUR AMPLIFIERS NEED TO PERFORM PROPERLY. MAKE SURE THAT ALL THE AMPLIFIED SIGNAL IS DELIVERED TO YOUR SPEAKERS WITH TSUNAMI PREMIUM SPEAKER WIRE. DO NOT ACCEPT COUNTERFEIT CABLE AND WIRE. NOW NEW AND IMPROVED SUPER FLEX OUTER JACKET AND NEWLY WOUND CABLE FOR INCREASED CURRENT TRANSFER AND FLEXABILITY.

PR POWER

1/0-4-8-10 GAUGE *NEW & IMPROVED*

CABLE	SPOOL	
PR601-25	25' (7.6m)	1/0 GA RED
PR601-50	50' (15.2m)	1/0 GA RED
PR604-75	75' (22.9m)	4 GA RED
PR604-125	125' (38.1m)	4 GA RED
PR608-125	125' (38.1m)	8 GA RED
PR608-250	250' (76.2m)	8 GA RED
PR608-500	500' (152.4m)	8 GA RED
PR610-125	125' (38.1m)	10 GA RED

1/0 4-8 GAUGE

CABLE	SPOOL	
PR601BL-25	25' (7.6m)	1/0 GA BLUE
PR604BL-75	75' (22.9m)	4 GA BLUE
PR604BL-125	125' (38.1m)	4 GA BLUE

GN GROUND

1/0-4-8-10 GAUGE *NEW & IMPROVED*

CABLE	SPOOL	
GN601-25	25' (7.6m)	1/0 GA BLACK
GN604-75	75' (22.9m)	4 GA BLACK
GN604-125	125' (381m)	4 GA BLACK
GN608-125	125' (38.1m)	8 GA BLACK
GN608-250	250' (76.2m)	8 GA BLACK

1/0 4-8 GAUGE

CABLE	SPOOL	
GN601S-25	25' (7.6m)	1/0 GA SILVER
GN604S-75	75' (22.9m)	4 GA SILVER
GN604S-125	125' (38.1m)	4 GA SILVER
GN608S-250	250' (76.2m)	8 GA SILVER

SW SPEAKER WIRE

SPEAKER WIRE

SPOOL	
SW912BL-250	250' (76.2m) 12 GA BLUE
SW916BL-250	250' (76.2m) 16 GA BLUE

V10 SPEAKER WIRE

SPEAKER WIRE

SPOOL	
V10SW12BK-125	125' (38.1m) 12 GA BLACK
V10SW16BK-250	250' (76.2m) 16 GA BLACK
V10SW16BK-500	500' (152.4m) 16 GA BLACK
V10SW16S-250	250' (76.2m) 16 GA SILVER

SW SPEAKER WIRE

SPEAKER WIRE

SPOOL	
SW318-1000	1000' (304.8m) 18 GA CLEAR

V10 SPEAKER WIRE

SPEAKER WIRE

SPOOL	
V10SW12BL-125	125' (152.4m) 12 GA BLUE
V10SW16BL-250	250' (76.2m) 16 GA BLUE

THE TSUNAMI FLAT CABLE IS DESIGNED FOR THE EASY RUN OF FRONT AND REAR SPEAKER WIRES WITH AN AMP TURN ON LEAD. EACH ROLL MATCHES THE EIA STANDARD COLOR CODE INDICATING FRONT RIGHT AND LEFT CHANNEL POSITIVE AND NEGATIVE AND REAR RIGHT AND LEFT CHANNEL POSITIVE AND NEGATIVE.

FLAT5 FLAT CABLE

FLAT CABLE *NEW*

SPOOL		
FLAT5-FR 200	200' (60.10m)	FRONT SPEAKER WIRE
FLAT5-RR 200	200' (60.10m)	REAR SPEAKER WIRE



POWER SOURCE

BT TERMINAL

BT819C

POS/NEG | 4 POSITION

(1) 1/0 GAUGE, (1) 4 GAUGE
(2) 8 GAUGE OUTPUTS
HARD NICKEL-PLATED SOLID BRASS CONSTRUCTION
RESISTANT TO CORROSION
INSULATING COVERS INCLUDED

BT TERMINAL

BT806N

POS/NEG | 4 POSITION

(2) 4 GAUGE & (2) 8 GAUGE
HARD NICKEL-PLATED SOLID BRASS CONSTRUCTION
RESISTANT TO CORROSION

BT TERMINAL

BT10MP

POSITIVE | 4 POSITION

(1) 1/0 GAUGE, (1) 4 GAUGE
(2) 8 GAUGE OUTPUTS
BLUE LCD DIGITAL VOLT METER
BRIGHT NICKEL-PLATED FINISH
HIDDEN SET SCREW DESIGN
INSULATING CLEAR COVER INCLUDED

BT TERMINAL

BT10N

NEGATIVE | 4 POSITION

(1) 1/0 GAUGE, (1) 4 GAUGE
(2) 8 GAUGE OUT
BRIGHT NICKEL-PLATED FINISH
HIDDEN SET SCREW DESIGN
INSULATING CLEAR COVER INCLUDED

BT TERMINAL

BT703

POS/NEG	4 POSITION

(2) 1/0 GAUGE & (2) 8 GAUGE OUT
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION

BT TERMINAL

BT706

POS/NEG	4 POSITION

(2) 4 GAUGE & (2) 8 GAUGE OUT
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION

BT TERMINAL

BT706L

POS/NEG	LONG POST EXTENDER

GM BATTERY SIDE POST
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION

BT TERMINAL

BT706S

POS/NEG	POST EXTENDER

GM BATTERY SIDE POST
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION

BT TERMINAL

TSBT-PN

POS/NEG | **4 POSITION**

(2) 1/0 GAUGE OR 4 GAUGE & (2) 8 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

BT TERMINAL

TSBTM-P

POSITIVE | **DIGITAL LED VOLT-METER**

(1) 1/0 GAUGE (1) 4 GAUGE & (2) 8 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
BUILT-IN BLUE DIGITAL VOLT-METER WITH AUTO SHUT-OFF
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTED MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FUSE HOLDERS



FH FUSE HOLDER

TSFBW-MANL

MINI-ANL | 1 POSITION

(1) 4 GAUGE OR (1) 8 GAUGE IN/OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, SOFT TOUCH
BLACK BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FH FUSE HOLDER

TSFBW-ANL

ANL | 1 POSITION

(1) 1/0 GAUGE OR (1) 4 GAUGE IN/OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, SOFT TOUCH BLACK BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FH FUSE HOLDER

TSFBW2-ANL

ANL | DUAL-FUSED 1 POSITION

(1) 1/0 GAUGE OR 4 GAUGE IN (2) 1/0 GAUGE OR 4 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, SOFT TOUCH BLACK BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FH FUSE HOLDER

FBWM801-ANL

ANL | 1 POSITION

1/0 OR 4 GAUGE IN/OUT
WATER-RESISTANT
DIGITAL VOLTAGE METER
SUPER BRIGHT RED FUSE STATUS LEDS
BRIGHT NICKEL-PLATED FINISH AND HARDWARE
ANL HIGH CURRENT CAPACITY
DURABLE BASE WITH CLEAR ACRYLIC COVER

FH FUSE HOLDER

FBWM802-ANL

ANL | 2 POSITION

(1) 1/0 OR 4 GAUGE IN & (2) 4 OR 8 GAUGE OUT
WATER-RESISTANT
DIGITAL VOLTAGE METER
SUPER BRIGHT BLUE FUSE STATUS LEDS
BRIGHT NICKEL-PLATED FINISH AND HARDWARE
ANL HIGH CURRENT CAPACITY
DURABLE BASE WITH CLEAR ACRYLIC COVER

FH FUSE HOLDER

FBW701-AGU

AGU | 1 POSITION

4 OR 8 GAUGE IN/OUT
WATER-RESISTANT
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT BARREL-STYLE ACRYLIC COVER

FH FUSE HOLDER

FBW702-AGU

AGU | 1 POSITION

4 OR 8 GAUGE IN/OUT
WATER-RESISTANT
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT BARREL-STYLE ACRYLIC COVER

FH FUSE HOLDER

FBW903-AGU

AGU | 1 POSITION

4 OR 8 GAUGE IN/OUT
WATER-RESISTANT
SOLID BRASS WITH TITANIUM FINISH
24K GOLD-PLATED CONNECTIONS
PATENTED COMPRESSION CABLE INPUT
RESISTANT TO CORROSION
HIGH-QUALITY CLEAR ACRYLIC BARREL DESIGN

FH FUSE HOLDER

FBW901-AGU

AGU | 1 POSITION

4 OR 8 GAUGE IN/OUT
WATER-RESISTANT
NEW DESIGNER STYLED HOUSING
EASY-MOUNT DETACHABLE BASE
BRIGHT NICKEL-PLATED FINISH AND HARDWARE
USES POPULAR AGU FUSES
DURABLE CLEAR ACRYLIC HOUSING WITH SILVER END CAPS

FH FUSE HOLDER

FBW801-MANL

MINI-ANL | 1 POSITION

4 GAUGE OR 8 GAUGE IN/OUT
WATER-RESISTANT
HARD 24K GOLD-PLATED
RESISTANT TO CORROSION
HIGH-QUALITY CLEAR ACRYLIC BARREL DESIGN

FH FUSE HOLDER

FBW901-MANL

MINI-ANL | 1 POSITION

4 OR 8 GA IN/OUT
WATER-RESISTANT
NEW DESIGNER STYLED HOUSING
EASY-MOUNT DETACHABLE BASE
BRIGHT NICKEL-PLATED FINISH AND HARDWARE
USES MINI-ANL FUSES
DURABLE CLEAR ACRYLIC HOUSING WITH SILVER END CAPS

FH GOLD-PLATED

FBW701-ANL

ANL | 1 POSITION

1/0 OR 4 GAUGE IN/OUT
WATER-RESISTANT
HARD 24K GOLD-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

FH NICKEL-PLATED

FBW801-ANL

ANL | 1 POSITION

1/0 OR 4 GAUGE IN/OUT
WATER-RESISTANT
NICKEL-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

FH NICKEL-PLATED

FBW911-ANL

ANL | 1 POSITION

1/0 GAUGE IN/OUT
WATER-RESISTANT
SOLID BRASS WITH TITANIUM FINISH
24K GOLD-PLATED CONNECTIONS
PATENTED COMPRESSION CABLE INPUT
RESISTANT TO CORROSION
HIGH-QUALITY CLEAR ACRYLIC BARREL DESIGN

DISTRIBUTION BLOCKS

GB GROUND-BLOCK

DB301

GROUND | 4 POSITION

(1) 4 GAUGE IN, (4) 8 GAUGE OUT
HARD 24K GOLD-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

GB GROUND-BLOCK

DB302

GROUND | 4 POSITION

(2) 4 GAUGE IN, (4) 8 GAUGE OUT
HARD 24K GOLD-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

GB GROUND-BLOCK

DB701

GROUND | 6 POSITION

(2) 1/0 GAUGE IN, (6) 4 GAUGE OUT
HARD 24K GOLD-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

GB GROUND-BLOCK

DB8701

GROUND | 6 POSITION

(2) 1/0 GAUGE IN, (6) 4 GAUGE OUT
HARD NICKEL-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

GB GROUND-BLOCK

DB8301

GROUND | 4 POSITION

(1) 4 GAUGE IN, (4) 8 GAUGE OUT
HARD NICKEL-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
PROTECTIVE COVER

GB GROUND-BLOCK

DB8012

GROUND | 2 POSITION

(1) 1/0 GAUGE IN, (2) 4 GAUGE OUT
HARD NICKEL-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
PROTECTIVE COVER

GB GROUND-BLOCK

DB8014

GROUND | 4 POSITION

(1) 1/0 GAUGE IN, (4) 4 GAUGE OUT
HARD NICKEL-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
PROTECTIVE COVER

GB GROUND-BLOCK

DB8021

GROUND | 2 POSITION

(1) 1/0 GAUGE IN, (2) 1/0 GAUGE OUT
HARD NICKEL-PLATED
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
PROTECTIVE COVER

GB GROUND-BLOCK

DBTT-8121

GROUND | "T" DISTRIBUTION BLOCK

(1) 1/0 INTO (2) 4 GAUGE OUT
BRIGHT NICKEL-PLATED BLOCK HARDWARE
RESISTANT TO CORROSION
HEAT-RESISTANT BLACK ABS BASE
CLEAR ACRYLIC COVER

GB GROUND-BLOCK

DBTT-8424

GROUND | "T" DISTRIBUTION BLOCK

(1) 4 GAUGE INTO (2) 8 GAUGE OUT
BRIGHT NICKEL-PLATED BLOCK HARDWARE
RESISTANT TO CORROSION
HEAT-RESISTANT BLACK ABS BASE
CLEAR ACRYLIC COVER

PG POWER/GROUND

TSPG2-MANL

MINI-ANL | 2 POSITION

POSITIVE/NEGATIVE "ALL-IN-ONE" BLOCK
(2) POSITIVE 1/0 OR 4 GAUGE INPUTS, (2) 4 OR 8 GAUGE OUTPUTS
(1) NEGATIVE 1/0 OR 4 GAUGE INPUTS, (2) 4 OR 8 GAUGE OUTPUTS
POSITIVE MINI-ANL FUSED DISTRIBUTION
BRIGHT NICKEL-PLATED SOLID BRASS BLOCKS
INJECTION MOLDED, DURABLE BLACK BASE
HIGH-TECH LOOK CHROME END PLATES
EASY ACCESS HINGED CLEAR ACRYLIC COVER

PG POWER/GROUND

TSPG4-MANL

MINI-ANL | 4 POSITION

POSITIVE/NEGATIVE "ALL-IN-ONE" BLOCK
(2) POSITIVE 1/0 OR 4 GAUGE INPUTS, (4) 4 OR 8 GAUGE OUTPUTS
(1) NEGATIVE 1/0 OR 4 GAUGE INPUTS, (4) 4 OR 8 GAUGE OUTPUTS
POSITIVE MINI-ANL DISTRIBUTION
BRIGHT NICKEL-PLATED SOLID BRASS BLOCKS
INJECTION MOLDED, DURABLE SILVER BASE

GB DISTRIBUTION

TSDB-8021

GROUND | 2 POSITION

(1) 1/0 OR 4 GAUGE IN, (2) 1/0 OR 4 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE WITH HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

GB DISTRIBUTION

TSDB-8014

GROUND | 4 POSITION

(1) 1/0 OR 4 GAUGE IN, (4) 4 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE WITH HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

GB DISTRIBUTION

TSDB-8004

GROUND | 4 POSITION

(1) 4 GAUGE IN, (4) 8 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE WITH HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

GB DISTRIBUTION

TSDB-8012

GROUND | 2 POSITION

(1) 1/0 OR 4 GAUGE IN, (2) 4 OR 8 GAUGE OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE WITH HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FB FUSE BLOCK

FDB702-AGU

AGU	2 POSITION

(1) 4 GAUGE IN, (2) 8 GAUGE OUT
USES AGU FUSES
HARD 24K GOLD-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

FB FUSE BLOCK

FDB802-MANL

MINI-ANL	2 POSITION

(1) 4 OR 8 GAUGE IN, (2) 8 GAUGE OUT
USES MINI-ANL FUSES
BRIGHT NICKEL-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ABS BASE
CLEAR PROTECTIVE COVER

FB FUSE BLOCK

FDB8002-ANL

ANL	2 POSITION

(1) 1/0 GAUGE IN, (2) 1/0 GAUGE OUT
BRIGHT NICKEL-PLATED BRASS BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ACRYLIC BASE
CLEAR PROTECTIVE COVER

FB FUSE BLOCK

FDB804-MANL

MINI-ANL	4 POSITION

(1) 4 OR 8 GAUGE IN, (2) 4 GAUGE AND (2) 8 GUAGE OUT
USES MINI-ANL FUSES
BRIGHT NICKEL-PLATED BLOCKS
RESISTANT TO CORROSION
HEAT-RESISTANT ABS BASE
CLEAR PROTECTIVE COVER

FB FUSE BLOCK

TSFDB4-MANL

MINI-ANL | 4 POSITION

(1) 1/0 or 4 GAUGE INPUT, (2) 4 GAUGE AND (2) 8 GAUGE OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FB FUSE BLOCK

TSFDB2-MANL

MINI-ANL | 2 POSITION

(1) 1/0 or 4 GAUGE INPUT, (2) 4 OR 8 GAUGE OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

FB FUSE BLOCK

TSFDB-14ATM

ATM | 7 POSITION

(2) 10 GAUGE POS IN, (14) 14 GAUGE FUSED POS OUT, (2) 10 GAUGE NEG IN, (7) 14 GAUGE NEG OUT
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
ATM FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM PRIMARY WIRE FOR BEST RESULTS

FB FUSE BLOCK

TPFDB-3MANL

MINI-ANL | 3 POSITION

(2) 1/0 or 4 GAUGE INPUTS, (3) 4 GAUGE OR 8 GAUGE OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE

FB FUSE BLOCK

TPFDB-PG

MINI-ANL | POWER & GROUND 2 POSITION

(1) 1/0 or 4 GAUGE GROUND INPUT, (2) 4 OR 8 GAUGE GROUND OUTPUTS , (2) 4 GAUGE POWER INPUTS, (2) 8 GAUGE POWER OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE

FB FUSE BLOCK

TPGB-1448

GROUND | 5 POSITION

(2) 1/0 and 4 GAUGE INPUTS, (3) 4 GAUGE and 8 GAUGE OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE WITH HIGH CURRENT CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM PRIMARY WIRE FOR BEST RESULTS

FB FUSE BLOCK

TPFDB-4PG

MINI-ANL | POWER & GROUND 4 POSITION

INCLUDES BUILT-IN VOLTAGE DISPLAY
(2) 1/0 or 4 GAUGE POWER INPUTS, (4) 4 GAUGE or 8 GAUGE POWER OUTPUTS, (1) 1/0 or 4 GAUGE GROUND INPUTS, (4) 4 GAUGE or 8 GAUGE GROUND OUTPUTS
NEW "DESIGNER LOOK" STYLING
SUPERIOR ELECTRICAL CONNECTION AND VIBRATION RESISTANCE
HIGH CURRENT MINI-ANL FUSE CAPACITY
SOLID BRASS BLOCKS
SATIN NICKEL-PLATED FINISH
HIGH CORROSION RESISTANCE
INJECTION MOLDED, DURABLE, BLACK SOFT TOUCH BASE AND TINTED ACRYLIC COVER
USE WITH TSUNAMI PREMIUM BATTERY CABLE FOR BEST RESULTS

POWER CAPS

TSUNAMI
2 FARAD
20VDC
2.0 FARAD
TSUNAMI
20 FARAD COMPETITION CAPACITOR
X15HCAP20

TSUNAMI'S INDUSTRY-LEADING LITEWAVE SERIES CAPACITORS POWER UP AND LIGHT UP ANY INSTALLATION THAT REQUIRES OUTSTANDING PERFORMANCE. ADVANCED TECHNOLOGY ON BOTH THE ENGINEERING AND AESTHETIC SIDE COME TOGETHER FOR MAXIMUM IMPACT IN EVERY CAPACITOR.

1.2 FARAD

PP912UM-CAP

1.2 FARAD | ROUND

- 24 VOLT SURGE
- BLUE LCD DIGITAL METER
- CURRENT ACTIVATED FLASHING BLUE LEDS
- ELECTRONIC CIRCUIT PROTECTION
- AUDIBLE HI/LO VOLTAGE WARNING
- +/-10% TOLERANCE
- E.S.R. <.002M OHM

1.2 FARAD

PP92UM-CAP

2 FARAD | ROUND

- POWER DISTRIBUTION TOP AND BUILT-IN VOLT METER
- SILVER ANODIZED CAN WITH TSUNAMI DRAGON LOGO
- MOUNTING BRACKETS INCLUDED
- 1/0 OR 4 GAUGE INPUTS AND OUTPUTS
- NICKEL PLATED BRASS POWER DISTRIBUTION TOP

2 FARAD

V102-CAP

2 FARAD

1/0 OR 4 GAUGE IN/OUT
STATE-OF-THE-ART-PERFORMANCE
BLUE DIGITAL LCD VOLT METER
CUREENT ACTIVATED BLUE FLASHING CHASE LEDS
CURRENT-SENSING AUTO TURN-ON
AUTO TURN-OFF TIMER
HI-LO VOLTAGE WARNING
REVERSE VOLTAGE PROTECTION ALARM
CHROME CASE
NICKEL-PLATED TERMINAL BLOCKS
MOUNTING BRACKETS AND HARDWARE INCLUDED

HOOK YOUR "I-LIVE-FOR-THE-COMPETITION-SCENE" CUSTOMERS UP WITH THE MOST INNOVATIVE, AUDACIOUS CAR SOUND ACCESSORIES ON THE GLOBE! TSUNAMI'S COMPETITION-GRADE LITEWAVE SERIES CAPACITORS FEATURE "INDUSTRY-FIRST" LED LIGHTS. DON'T FORGET ALL OF THE OTHER GOODIES THAT FEATURE CURRENT ACTIVATED FLASHING BLUE LEDS, VOLTAGE AND AMPERAGE METERS, AND OTHER FEATS OF MAD ILLUMINATION.

5 FARAD

HCAP-5

5 FARAD **CUSTOM DESIGN**

BLUE LED VOLT METER
INPUT FOR 1/0 AND 4 GA WIRE
CHROME ENDS WITH CARBON BLACK CENTER

10 FARAD

HCAP-10

10 FARAD **CUSTOM DESIGN**

BLUE LED VOLT METER
INPUT FOR 1/0 AND 4 GA WIRE
CHROME ENDS WITH CARBON BLACK CENTER

20 FARAD

HCAP-20

20 FARAD | **DIGITAL VOLT AND AMP METERS**

(2) 1/0 OR 4GA INPUTS AND 1/0 OR 4GA OUTPUTS
STATE OF THE ART HYBRID PERFORMANCE
ADVANCED STYLE EXTRUDED CASE WITH STEALTH MOUNTING AND CONCEALED TERMINALS ACCESSIBLE WITH A FLIP UP HINGED COVER
AUTO AND MANUAL SELECTABLE BLUE DIGITAL LCD VOLT AMP METERS
SELECTABLE SLEEP FUNCTION/AUTO ON/OFF
LIGHTED TSUNAMI LOGO AND OUTLINE LEDS
HI/LO VOLTAGE INDICATED BY FLASHING RED LEDS
CONTRASTING CHROME AND BRUSHED CHROME FINISH
1/0 NICKEL-PLATED HIGH CURRENT TERMINAL BLOCKS WITH 4 GAUGE REDUCERS
WORKING VOLTAGE 16/18VDC SURGE

40 FARAD

HCAP-40

40 FARAD | **DIGITAL VOLT AND AMP METER**

(2) 1/0 OR 4GA INPUTS AND 1/0 OR 4GA OUTPUTS
STATE OF THE ART HYBRID PERFORMANCE
ADVANCED STYLE EXTRUDED CASE WITH STEALTH MOUNTING AND CONCEALED TERMINALS ACCESSIBLE WITH A FLIP UP HINGED COVER.
AUTO AND MANUAL SELECTABLE BLUE DIGITAL LCD VOLT AMP METERS
SELECTABLE SLEEP FUNCTION/AUTO ON/OFF
LIGHTED TSUNAMI LOGO AND OUTLINE LEDS
HI/LO VOLTAGE INDICATED BY FLASHING RED LEDS
CONTRASTING CHROME AND BRUSHED CHROME FINISH
1/0 NICKEL PLATED HIGH CURRENT TERMINAL BLOCKS WITH 4 GAUGE REDUCERS
WORKING VOLTAGE 16/18VDC SURGE

ACCESSORIES

QUALITY ACCESSORIES PROVIDE THE FOUNDATION FOR INSTALLATIONS THAT DELIVER PEAK PERFORMANCE EVERY TIME. TSUNAMI'S COMPREHENSIVE ACCESSORIES LINE FEATURES THE BEST MATERIALS AND CONSTRUCTION TO SUPPORT THE MOST DEMANDING SYSTEMS.

HEAVY-DUTY TERM

RT810P

ACCESSORIES

H-D | NICKEL

(2) HEAVY-DUTY RING TERMINALS
5/16" (7.9mm) RING
1/0 GAUGE
COVERS INCLUDED

RT804P

ACCESSORIES

H-D | NICKEL

(2) HEAVY-DUTY RING TERMINALS
5/16" (7.9mm) RING
4 GAUGE
COVERS INCLUDED

Sizes are shown actual size to assist in ordering terminals



TERM

RING TERMINALS

ACCESSORIES

NICKEL

RTN1	1/0 GAUGE TO 1/4" (6.4mm)	(5) 3 RED + 2 BLACK
RTN2	1/0 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK
RTN3	1/0 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK
RTN8	4 GAUGE TO 1/4" (6.4mm)	(5) 3 RED + 2 BLACK
RTN9	4 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK
RTN10	4 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK
RTN18	8 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK
RTN19	8 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK

TERM

RING TERMINALS

ACCESSORIES

GOLD

RT1	1/0 GAUGE TO 1/4" (6.4mm)	(5) 3 RED + 2 BLACK	RT10	4 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK
RT2	1/0 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK	RT10-20	4 GAUGE TO 3/8" (9.5mm)	(20) 10 RED + 10 BLACK
RT3	1/0 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK	RT17	8 GAUGE TO 1/4" (6.4mm)	(5) 3 RED + 2 BLACK
RT8	4 GAUGE TO 1/4" (6.4mm)	(5) 3 RED + 2 BLACK	RT18	8 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK
RT8-20	4 GAUGE TO 1/4" (6.4mm)	(20) 10 RED + 10 BLACK	RT18-20	8 GAUGE TO 5/16" (7.9mm)	(20) 10 RED + 10 BLACK
RT9	4 GAUGE TO 5/16" (7.9mm)	(5) 3 RED + 2 BLACK	RT19	8 GAUGE TO 3/8" (9.5mm)	(5) 3 RED + 2 BLACK
RT9-20	4 GAUGE TO 5/16" (7.9mm)	(20) 10 RED + 10 BLACK	RT19-20	8 GAUGE TO 3/8" (9.5mm)	(20) 10 RED + 10 BLACK

ST

SPADE TERMINALS

SPADE TERMINALS

GOLD

ST1	4 GAUGE - 1/4" (6.4mm) BARRIER	(5) 3 RED + 2 BLACK
ST2	8 GAUGE - #10	(5) 3 RED + 2 BLACK
ST3	8 GAUGE - #10 BARRIER	(5) 3 RED + 2 BLACK
ST3-20	8 GAUGE - #10 BARRIER	(5) 10 RED + 10 BLACK

RA

REDUCING ADAPTERS

RA804

ACCESSORIES

NICKEL ADAPTER

1/0 GAUGE TO 4 GAUGE
REDUCING ADAPTER & COVER
NICKEL-PLATED

TC TERMINAL CUP

SET700RN

ACCESSORIES

ROUND | WITH GASKET

ROUND TERMINAL CUP
MOUNTS IN 2" (50.8mm) HOLE
GOLD PLATED

TC TERMINAL CUP

SET300RN

ROUND | WITH GASKET

ROUND TERMINAL CUP
MOUNTS IN 2" (50.8mm) HOLE

BP BANANA PLUGS

SW700-CNTR

ACCESSORIES

GOLD

SINGLE BANANA PLUG
4 PLUGS

BP BANANA PLUGS

SW300-CNTR

ACCESSORIES

GOLD

DUAL BANANA PLUG
PAIR

THESE NEW CIRCUIT BREAKERS ARE DESINGED TO OUT PERFORM ANY STANDARD CIRCUIT BREAKERS AVAILABLE. WITH NEW DISTRIBUTION BLOCK LIKE SETSCREW CONNECTIONS AND INTEGRATED END CAPS FOR TOTAL SHORT CIRCUIT PROTECTION THESE UNITS WILL ACCEPT UP TO 1/0 CABLE. THE INTERNAL DESIGN HAS BEEN IMPROVED FOR BETTER POWER TRANSFER AND CIRCUIT PROTECTION WITH IMMEDIATE RESPONSE AND RECOVERY TIME.

CBF CIRCUIT BREAKER

CBF100

ACCESSORIES

100 AMP WITH RESET & COVER

1/0 OR 4 GAUGE IN/OUT
MANUAL RESET BUTTON
24K HARD GOLD-PLATED
RESISTANT TO CORROSION

CB CIRCUIT BREAKER

CBF180

ACCESSORIES

180 AMP WITH RESET & COVER

1/0 OR 4 GAUGE IN/OUT
MANUAL RESET BUTTON
24K HARD GOLD-PLATED
RESISTANT TO CORROSION

CBF CIRCUIT BREAKER

CBF140

ACCESSORIES

140 AMP WITH RESET & COVER

1/0 OR 4 GAUGE IN/OUT
MANUAL RESET BUTTON
24K HARD GOLD-PLATED
RESISTANT TO CORROSION

CB CIRCUIT BREAKER

CBF200

ACCESSORIES

200 AMP WITH RESET & COVER

1/0 OR 4 GAUGE IN/OUT
MANUAL RESET BUTTON
24K HARD GOLD-PLATED
RESISTANT TO CORROSION

ANL

ANL FUSES ACCESSORIES

NICKEL

FS-ANL80-5N	80 AMP	5 PACK
FS-ANL100-5N	100 AMP	5 PACK
FS-ANL150-5N	150 AMP	5 PACK
FS-ANL200-5N	200 AMP	5 PACK
FS-ANL250-5N	250 AMP	5 PACK

ANL

ANL FUSES ACCESSORIES

GOLD

FS-ANL80-5	80 AMP	5 PACK
FS-ANL100-5	100 AMP	5 PACK
FS-ANL150-5	150 AMP	5 PACK
FS-ANL200-5	200 AMP	5 PACK
FS-ANL250-5	250 AMP	5 PACK

MANL

MINI-ANL FUSES

NICKEL

FS-MANL60-5N	60 AMP	5 PACK
FS-MANL80-5N	80 AMP	5 PACK
FS-MANL100-5N	100 AMP	5 PACK
FS-MANL150-5N	150 AMP	5 PACK

AGU

AGU FUSES ACCESSORIES

NICKEL

FS-AGU40-5N	40 AMP	5 PACK
FS-AGU50-5N	50 AMP	5 PACK
FS-AGU60-5N	60 AMP	5 PACK

AGU

AGU FUSES ACCESSORIES

GOLD

FS-AGU30-5	30 AMP	5 PACK
FS-AGU40-5	40 AMP	5 PACK
FS-AGU50-5	50 AMP	5 PACK
FS-AGU60-5	60 AMP	5 PACK
FS-AGU80-5	80 AMP	5 PACK

AMP KITS

TSUNAMI AMPLIFIER INSTALLATION KITS ARE DESIGNED FOR SYSTEMS RANGING FROM 200 WATTS TO OVER 3500 WATTS. 19 ECONOMICAL, TIME-SAVING KITS ARE AVAILABLE IN FULL HARDWARE VERSIONS. MOST INCLUDE RCA CABLES, AND SELECT MODELS MAY INCLUDE DIGITAL CAPACITORS, FUSE BLOCKS AND BATTERY TERMINALS. TSUNAMI HAS THE RIGHT AMP KIT FOR YOUR SYSTEM. ALL KITS HAVE BEEN UPGRADED TO CONTAIN SUPER FLEX CABLE. THIS CABLE OFFERS A SOFT TOUCH FLEXIBLE PVC OUTER JACKET AND A NEWLY WOUND CABLE FOR THE ULTIMATE IN POWER TRANSFER AND FLEXIBILITY. ANY AMP KIT THAT INCLUDES AND INTERCONNECT WILL HAVE THE NEW 701 SERIES MINI CABLE.

AMP INSTALLATION

1/0 GAUGE KIT

AMP01BL

ACCESSORIES

1/0 GAUGE | 3200 WATT

COMPONENTS

17' (5.18m) 1/0 GAUGE BLUE POWER CABLE
3' (914mm) 1/0 GAUGE SILVER GROUND CABLE
17' (5.18m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
1/0 GAUGE 1 POSITION ANL FUSEHOLDER
250 AMP ANL FUSE
(2) 1/0 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINALS BLUE & SILVER INSULATORS
HEAVY DUTY 1/0 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINAL CLEAR INSULATOR
HEAVY DUTY NICKEL-PLATED GROUND TERMINAL

HARDWARE PACK

(10) 6" (152mm) CABLE TIES
(6) #8 X 3/4" (19mm) PHILLIPS NICKEL-PLATED PANHEAD SCREWS
(2) RED VINYL #10 NICKEL-PLATED SPADE TERMINALS
(2) BLUE VINYL BUTT CONNECTORS
1/0 GAUGE SNAP GROMMET

2 GAUGE KIT

AMP02BL

2 GAUGE | 2400 WATT

COMPONENTS

17' (5.18m) 2 GAUGE BLUE POWER CABLE
3' (914mm) 2 GAUGE SILVER GROUND CABLE
17' (5.18m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
2 GAUGE 1 POSITION ANL FUSEHOLDER
250 AMP ANL FUSE
(2) 2 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINALS BLUE & SILVER INSULATORS
HEAVY DUTY 2 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINAL CLEAR INSULATOR
HEAVY DUTY NICKEL-PLATED GROUND TERMINAL

HARDWARE PACK

(10) 6" (152mm) CABLE TIES
(6) #8 X 3/4" (19mm) PHILLIPS NICKEL-PLATED PANHEAD SCREWS
(2) RED VINYL #10 NICKEL-PLATED SPADE TERMINALS
(2) BLUE VINYL BUTT CONNECTORS
2 GAUGE SNAP GROMMET

4 GAUGE KIT

AMP04BL

ACCESSORIES

4 GAUGE | **1600 WATT - BLUE**

COMPONENTS

17' (5.18m) 4 GAUGE BLUE POWER CABLE
3' (914mm) 4 GAUGE SILVER GROUND CABLE
17' (5.18m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
4 GAUGE 1 POSITION ANL FUSEHOLDER
150 AMP ANL FUSE
(2) 4 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINALS
BLUE & SILVER INSULATORS
H-D 4 GAUGE TO 5/16" (7.9mm) NICKEL-PLATED RING TERMINAL
CLEAR INSULATOR
H-D NICKEL-PLATED GROUND TERMINAL

HARDWARE PACK

(10) 6" (152mm) CABLE TIES
(6) #8 X 3/4" (19mm) + NICKEL-PLATED PANHEAD SCREWS
(2) RED VINYL #10 NICKEL-PLATED SPADE TERMINALS
(2) BLUE VINYL BUTT CONNECTORS
4 GAUGE SNAP GROMMET

AMP04BL-RCA

ACCESSORIES

4 GAUGE | **1600 WATT - BLUE**

SAME AS ABOVE PLUS:
17' (5.18m) 701 SERIES TWISTED-PAIR SHIELDED RCA CABLE

4 GAUGE KIT

AMP04RD

ACCESSORIES

4 GAUGE | **1600 WATT - RED**

COMPONENTS

17' (5.18m) 4 GAUGE RED POWER CABLE
3' (914mm) 4 GAUGE BLACK GROUND CABLE
17' (5.18m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
4 GAUGE 1 POSITION ANL FUSEHOLDER
150 AMP ANL FUSE
(2) 4 GAUGE TO 5/16" (7.9mm) GOLD-PLATED RING TERMINALS
RED & BLACK INSULATORS
H-D 4 GAUGE TO 5/16" (7.9mm) GOLD-PLATED RING TERMINAL
CLEAR INSULATOR
H-D GOLD-PLATED GROUND TERMINAL

HARDWARE PACK

(10) 6" (152mm) CABLE TIES
(6) #8 X 3/4" (19mm) + NICKEL-PLATED PANHEAD SCREWS
(2) RED VINYL #10 NICKEL-PLATED SPADE TERMINALS
(2) BLUE VINYL BUTT CONNECTORS
4 GAUGE SNAP GROMMET

AMP04RD-RCA

ACCESSORIES

4 GAUGE | **1600 WATT - RED**

SAME AS ABOVE PLUS:
17' (5.18M) 701 SERIES TWISTED-PAIR SHIELDED RCA CABLE

4 GAUGE KIT

AMP850BL

ACCESSORIES

4 GAUGE | 850 WATT - BLUE

COMPONENTS

17' (5.18m) 4 GAUGE POWER WIRE (BLUE)
3' (914mm) 4 GAUGE GROUND WIRE (SILVER)
16' (4.88m) 18 GAUGE TURN-ON WIRE (BLUE)
16' (4.88m) 18 GAUGE TURN-ON WIRE (BLACK)
6' (1.83m)- 1/4" (6.4mm) SPLIT LOOM TUBING
AGU FUSE HOLDER WITH 60 AMP FUSE
PUSH-IN GROMMET
(10) 4" (102mm) BLACK WIRE TIES

HARDWARE

(2) 4 GAUGE 5/16" (7.9mm) RING TERMINALS (WITH BLUE & WHITE SLEEVES)
(10) 6" (152mm) BLACK WIRE TIES
(2) RED VINYL BUTT CONNECTORS
(2) RED VINYL #10 SPADE CONNECTORS
(4) #8 X 3/4" (19mm) PAN HEAD PHILLIPS SCREWS

AMP850BL-RCA

4 GAUGE | 850 WATT - BLUE

SAME AS ABOVE PLUS:
17' (5.18m) 701 SERIES TWISTED-PAIR SHIELDED RCA CABLE

8 GAUGE KIT

AMP350BL-RCA

ACCESSORIES

8 GAUGE | 350 WATT - BLUE

COMPONENTS

17' (5.18m) 701 SERIES RCA CABLE
17' (5.18m) 8 GAUGE BLUE POWER CABLE
3' (914mm) 8 GAUGE SILVER GROUND CABLE
16' (4.88m) 18 GAUGE BLUE TURN-ON WIRE
16' (4.88m) 18 GAUGE BLACK GROUND WIRE
MAXI FUSE HOLDER WITH FUSE
6' (1.83m) 1/4" (6.4mm) SPLIT LOOM TUBING
PUSH-IN GROMMET

HARDWARE

(2) 8 GAUGE 5/16" (7.9mm) RING TERMINALS WITH BLUE & WHITE SLEEVES
(10) 4" (102mm) BLACK WIRE TIES
(2) RED VINYL BUTT CONNECTORS
(2) RED VINYL #10 SPADE CONNECTORS
(4) #8 X 3/4" (19mm) PAN HEAD PHILLIPS SCREWS

8 GAUGE KIT

AMP350-RCA

ACCESSORIES

8 GAUGE | **350 WATT - RED**

COMPONENTS

17' (5.18m) 701 SERIES RCA CABLE
20' (6.10m) 8 GAUGE RED POWER CABLE
2' (610mm) 8 GAUGE BLACK GROUND CABLE
16' (4.88m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
16' (4.88m) 18 GAUGE BLACK GROUND WIRE
AGU FUSEHOLDER WITH 50 AMP FUSE
6' (1.83m) 1/4" (6.4mm) SPLIT LOOM TUBING
PUSH-IN GROMMET

HARDWARE

(2) 8 GAUGE 5/16" (7.9mm) RING TERMINALS WITH RED & BLACK SLEEVES
(10) 4" (102mm) BLACK WIRE TIES
(2) RED VINYL BUTT CONNECTORS
(2) RED VINYL #10 SPADE CONNECTORS
(4) #8 X 3/4" (19mm) PAN HEAD PHILLIPS SCREWS

10 GAUGE KIT

AMP200-RCA

ACCESSORIES

10 GAUGE | **200 WATT - RED**

COMPONENTS

17' (5.18m) 701 SERIES RCA CABLE
17' (5.18m) 10 GAUGE RED POWER CABLE
3' (914mm) 10 GAUGE BLACK GROUND CABLE
16' (4.88m) 18 GAUGE BLUE TURN-ON WIRE
16' (4.88m) 18 GAUGE BLACK GROUND WIRE
6' (1.83m) 1/4" (6.4mm) SPLIT LOOM TUBING
ATC FUSE HOLDER WITH 30 AMP FUSE
PUSH-IN GROMMET

HARDWARE

(2) 8 GAUGE 5/16" (7.9mm) RING TERMINALS WITH RED & BLACK SLEEVES
(10) 4" (102mm) BLACK WIRE TIES
(2) RED VINYL BUTT CONNECTORS
(2) RED VINYL #10 SPADE CONNECTORS
(4) #8 X 3/4" (19mm) PAN HEAD PHILLIPS SCREWS

1&4 GAUGE KIT

AMP1040D

ACCESSORIES

1 AND 4 GAUGE | **3200 WATT - BLUE - DUAL AMP INSTALL KIT**

COMPONENTS

17' (5.18m) 1/0 GAUGE POWER CABLE (TRANSPARENT BLUE)
3' (914mm) 1/0 GAUGE POWER CABLE (TRANSPARENT SILVER)
6' (1.83m) 4 GAUGE POWER CABLE (TRANSPARENT BLUE)
6' (1.83m) 4 GAUGE POWER CABLE (TRANSPARENT SILVER)
17' (5.18m) 18 GAUGE REMOTE TURN ON WIRE (BLUE)
(1) ANL FUSEHOLDER, WATER RESISTANT, 1/0 GAUGE
IN/OUT WITH 350A ANL FUSE
(1) V10PG2-MANL WITH (1) 60A AND (1) 100A MINI-ANL FUSE
(1) GT910 HEAVY DUTY GROUND TERMINAL NICKEL
(LOCK NUT) 1/0 X 5/16" (7.9mm)
(1) RT810P HEAVY DUTY RING TERMINAL NICKEL 1/0 X 5/16" (7.9mm)
6' (1.83m) SPLIT LOOM 3/4" (19mm)

HARDWARE

(10) 6" (152mm) CABLE TIES
(6) #8 X 3/4" (19mm) PHILLIPS PAN HEAD SCREW
(NICKEL PLATED)
(2) RED VINYL #10 SPADE TERMINAL(NICKEL)
(2) BLUE VINYL BUTT CONNECTOR
(1) SNAP GROMMET FOR 1/0 CABLE
(1) INSTRUCTION SHEET
(1) SPARE 350A ANL FUSE
(1) SPARE 60A MINI-ANL FUSE
(1) SPARE 100A MINI-ANL FUSE

4&8 GAUGE KIT

AMP48-CAP

ACCESSORIES

4/8 GAUGE | **1.2 FARAD CAPACITOR**

COMPONENTS

1.2 FARAD ROUND CAPACITOR
(2) 16' (4.88m) 701 SERIES TWISTED-PAIR RCAS
17' (5.18m) 4 GAUGE BLUE TINNED & BRAIDED POWER CABLE
3' (914mm) 4 GAUGE SILVER TINNED & BRAIDED GROUND CABLE
8' (2.4m) 8 GAUGE BLUE TINNED & BRAIDED POWER CABLE
8' (2.4m) 8 GAUGE SILVER TINNED & BRAIDED GROUND CABLE
40' (12m) 16 GAUGE BLUE SQUARE SPEAKER WIRE
3' (914mm) 12 GAUGE BLUE SPEAKER WIRE
18' (5.5m) 18 GAUGE BLUE REMOTE TURN-ON WIRE
BRIGHT NICKEL 4 GAUGE ANL FUSEHOLDER - VOLTAGE METER
AGU DISTRIBUTION BLOCK (1) 4 GAUGE IN (2) 8 GAUGE OUT
POS/NEG DISTRIBUTION BLOCK - (1) 4 GAUGE IN (2) 4 GAUGE OUT
DISTRIBUTION BLOCK - 1/0 OR 4 GAUGE IN
(2) 4 GAUGE/(3) 8 GAUGE OUT

HARDWARE

ALL FUSES
(2) 4 GAUGE NICKEL "L" TYPE
GROUND RING TERMINALS
(2) 4 GAUGE NICKEL 5/16" (7.9mm) H-D RING TERMINALS
(14) 8" (203mm) BLACK WIRE TIES
(4) 8 GAUGE SPADE TERMINALS NICKEL
2 BLUE, 2 SILVER COVERS
(4) 12 GAUGE SPADE TERMINALS NICKEL
2 BLUE, 2 SILVER COVERS
(8) 16 GAUGE SPADE TERMINALS NICKEL
4 BLUE, 4 SILVER COVERS
(2) BATTERY TERMINALS - (2) 4 GAUGE
(2) 8 GAUGE OUT
(12) #6 X 3/4" (19mm) + PAN HEAD SCREWS (BLACK OXIDE)

AMP48-RCA

4/8 GAUGE | **RCA**

SAME AS ABOVE WITHOUT 1.2 FARAD ROUND CAPACITOR

TS MERCHANDISE

TS-SLATWALL11

HEADER	

HEIGHT 8"
WIDTH 48"

TS MERCHANDISE

TS-BANNER11

BANNER	WITH GROMMETS

HEIGHT 24"
WIDTH 48"

TS MERCHANDISE

TS-SHIRT11-L/XL TS-HAT11

COLORS BLACK/WHITE IMPRINT
SIZES LARGE & EXTRA LARGE
HAT IS ONE SIZE FITS ALL

* Design and specifications subject to change without notice

TS MERCHANDISE

TS-SWSTAND

WIRE RACK	

HEIGHT 66"
WIDTH 36"

* Wire spools not included

TS MERCHANDISE

TS-ADPLAQUES

DISPLAY

TSUNAMI AUTHORIZED DEALER PLAQUE

TS MERCHANDISE

RACK650-TSHDR

HEADER

HEIGHT	21"
WIDTH	36"

TS DISPLAY RACK

RACK600

DISPLAY

TS PLANOGRAM

TSUNAMI1

DISPLAY

PRODUCTS INCLUDED:

Amp Kits & Capacitors

1	AMP1040D	1 & 4 Gauge Install Kit
1	HCAP-20	20 Farad Hybrid Cap
1	AMP01BL	1/0 Gauge 3200 Watt Install Kit
1	HCAP-10	10 Farad Hybrid Cap
1	AMP04BL-RCA	4 Gauge 1600 Watt Install Kit
1	HCAP-5	5 Farad Hybrid Cap
1	AMP350BL-RCA	8 Gauge 350 Watt Install Kit
1	PP92UM-CAP	Cap 1.2 Farad W/Monitor
1	HCAP-40	40 Farad Hybrid Cap

RCA Cables

2	X204-17	4-Channel Male To Male 17' (5.18M)
2	X20-Y1	1-Female To 2-Male (152MM)
1	X20-20	Male To Male 20' (6.10M)
2	X20-Y2	2-Female To 1-Male (152MM)
2	X20-17	Male To Male 17' (5.18M)
1	V950-20	Male To Male 20' (6.10M)
1	X20-14	Male To Male 14' (4.27M)
1	V950-17	Male To Male 17' (5.18M)
1	X20-12	Male To Male 12' (3.66M)
1	V950-12	Male To Male 12' (3.66M)
1	X20-10	Male To Male 10' (3.05M)
1	V950-9	Male To Male 9' (2.74M)
1	X20-6	Male To Male 6' (1.83M)
1	V950-6	Male To Male 6' (1.83M)
1	X20-3	Male To Male 3' (914 MM)
1	V950-3	Male To Male 3' (914MM)
1	X20-1.5	Male To Male 1.5' (457MM)

Distribution & Fuse Blocks, Battery Terminals

1	TPFH-1W	Fuse Holdr With MANL/ANL
1	TPSP	Side Post Terminal
1	TPFDB-4PG	4 Positive MANL With Meter
1	TPSP-F	Side Post With MANL Fuse
1	TPFDB-PG	2 Positive MANL NL
1	TPBT-P	Positive Terminal With MANL Fuse
1	TPGB-1448	1/0 Or 4 In 4 Or 8 Out
1	TPBT-N	Negative Terminal
1	TPFDB-3MANL	Fuse Dist Block 3 Positive MANL

Accessories

1	RT810P	1/0 Gauge Heavy-Duty 5/16" (7.9MM)
1	FS-ANL150-5N	150 AMP ANL Fuse Holder 5-Pack
1	RT804P	4 Gauge Heavy-Duty 5/16" (7.9MM)
1	FS-ANL100-5N	100 AMP ANL Fuse Holder 5-Pack
1	RA804	Reducing Adapter
3	FS-MANL150-5N	150 AMP MINI-ANL Fuse 5-Pack
2	RTN3	1/0 Gauge To 3/8" (9.5MM)
3	FS-MANL100-5N	100 AMP MINI-ANL Fuse 5-Pack
1	RTN10	4 Gauge To 3/8" (9.5MM)
2	FS-MANL80-5N	80 AMP MINI-ANL Fuse 5-Pack
1	FS-ANL250-5N	250 AMP ANL Fuse Holder 5-Pack
1	FS-AGU50-5N	50 AMP AGU Fuse 5-Pack
1	FS-ANL200-5N	250 AMP ANL Fuse Holder 5-Pack
1	FS-AGU60-5N	60 AMP AGU Fuse 5-Pack

TS PLANOGRAM

TSUNAMI2

DISPLAY

PRODUCTS INCLUDED:

Amp Kits & Capacitors

1	AMP48-RCA	4 & 8 Gauge Install Kit
1	HCAP-10	10 Farad Hybrid Cap
1	AMP04BL-RCA	4 Gauge 1600 Watt Install Kit
1	HCAP-5	5 Farad Hybrid Cap
1	AMP850BL-RCA	4 Gauge 850 Watt Install Kit
1	V102CAP	2 Frad Digital Cap Chase Leds
1	AMP350BL-RCA	8 Gauge 350 Watt Install Kit

RCA Cables

2	V104-17	4-Channel Male To Male 17' (5.18M)
1	V10-Y2	2-Female To 1-Male (152MM)
2	V10-20	Male To Male 20' (6.10M)
1	V950-20	Video Male To Male 20' (6.10M)
2	V10-17	Male To Male 17' (5.18M)
1	V950-17	Video Male To Male 17' (5.18M)
1	V10-14	Male To Male 14' (4.27M)
1	V950-12	Video Male To Male 12' (3.66M)
1	V10-12	Male To Male 12' (3.66M)
1	V950-9	Video Male To Male 9' (2.74M)
1	V10-6	Male To Male 6' (1.83M)
1	V950-6	Video Male To Male 6' (1.83M)
1	V10-3	Male To Male 3' (914 MM)
1	V950-3	Video Male To Male 3' (914MM)
1	V10-1.5	Male To Male 1.5' (457MM)
1	V10-Y3	RCA Male to Male 3' (914MM)
2	V10-Y1	1-Female To 2-Male (152MM)

Distribution & Fuse Blocks, Battery Terminals

1	TSFBW2-ANL	ANL Dual-Fused Fuse Holder
1	FBW901-AGU	AGU Fuse Holder
1	TSFBW-ANL	ANL Fuse Holder
1	TSBT-PN	Pos/Neg Terminal
2	TSFBW-MANL	MINI-ANL Fuse Holder
1	TSBTM-P	Positive Digital LED Terminal
1	TSPG4-MANL	MINI-ANL Distribution Block
1	TSDB-8021	Ground Distribution Block
1	TSPG2-MANL	MINI-ANL Distribution Block
1	TSDB-8014	Ground Distribution Block
1	TSFDB4-MANL	MINI-ANL Fuse Block
1	TSDB-8012	Ground Distribution Block
1	TSFDB2-MANL	MINI-ANL Fuse Block
1	TSDB-8004	Ground Distribution Block
2	FBW901-MANL	MINI-ANL Fuse Holder

Accessories

1	CBF200	200 AMP Circuit Breaker
1	FS-ANL200-5N	200 AMP ANL Fuse 5-Pack
1	CBF180	180 AMP Circuit Breaker
1	FS-ANL150-5N	150 AMP ANL Fuse 5-Pack
1	CBF140	140 AMP Circuit Breaker
1	FS-ANL100-5N	100 AMP ANL Fuse 5-Pack
1	CBF100	100 AMP Circuit Breaker
2	FS-MANL150-5N	150 AMP MINI-ANL Fuse
1	RT810P	Heavy-Duty 5/16" (7.9MM) Ring
2	FS-MANL100-5N	100 AMP MINI-ANL Fuse
1	RT804P	Heavy-Duty 5/16" (7.9MM) Ring
2	FS-MANL80-5N	80 AMP MINI-ANL Fuse
1	RA804	Reducing Adaptor
2	FS-MANL60-5N	60 AMP MINI-ANL Fuse
1	RTN3	1/0 Gauge To 3/8" (9.5MM)
1	FS-AGU60-5N	60 AMP AGU Fuse
2	RTN10	4 Gauge To 3/8" (9.5MM)
1	FS-AGU50-5N	50 AMP AGU Fuse
1	FS-ANL250-5N	250 AMP ANL Fuse 5-Pack

TS PLANOGRAM

TSUNAMI3

DISPLAY

PRODUCTS INCLUDED:

Amp Kits & Capacitors

1	AMP48-RCA	4 & 8 Gauge Install Kit
1	HCAP-10	10 Farad Hybrid Cap
1	AMP04BL-RCA	4 Gauge 1600 Watt Install Kit
1	HCAP-5	5 Farad Hybrid Cap
1	AMP850BL-RCA	4 Gauge 850 Watt Install Kit
1	PP92UM-CAP	Cap 1.2 Farad W/Monitor
1	AMP350BL-RCA	8 Gauge 350 Watt Install Kit
1	PP912UM-CAP	Cap 1.2 Farad W/Monitor

RCA Cables

2	RTP9504-17	4-Channel Male To Male 17' (5.18M)
2	RTP950-Y1	1-Female To 2-Male 6" (152Mm)
1	RTP950-20	Male To Male 20' (6.10M)
2	RTP950-Y2	2-Female To 1-Male 6" (152Mm)
2	RTP950-17	Male To Male 17' (5.18M)
1	RTP950-Y3	2-Male To 1 - 3.5Mm Male 7' (2.13M)
1	RTP950-14	Male To Male 14' (4.27M)
1	V950-20	Male To Male 20' (6.10M)
1	RTP950-12	Male To Male 12' (3.66M)
1	V950-17	Male To Male 17' (5.18M)
1	RTP950-9	Male To Male 9' (2.74M)
1	V950-12	Male To Male 12' (2.74M)
1	RTP950-6	Male To Male 6' (1.83M)
1	V950-9	Male To Male 9' (2.74M)
1	RTP950-3	Male To Male 3' (914MM)
1	V950-6	Male To Male 6' (1.83M)
1	RTP950-1.5	Male To Male 1.5' (457MM)
1	V950-3	Male To Male 3' (914MM)

Distribution & Fuse Blocks, Battery Terminals

1	FBWM801-ANL	ANL Fuse Holder
2	FBW903-AGU	AGU Fuse Holder
1	FBW801-ANL	ANL Fuse Holder
1	BT10MP	Positive Terminal
1	FBW911-ANL	ANL Fuse Holder
1	BT10N	Negative Terminal
1	FDB802-MANL	MINI-ANL Fuse Block
1	DB8301	Ground Block
1	FDB804-MANL	MINI-ANL Fuse Holder
1	DB8701	Ground Block
2	FBW801-MANL	MINI-ANL Fuse Holder

Accessories

1	RT810P	Heavy-Duty 5/16" (7.9MM) Ring
2	FS-ANL100-5N	100 AMP ANL Fuse
1	RT804P	Heavy-Duty 5/16" (7.9MM) Ring
2	FS-MANL150-5N	150 AMP MINI-ANL Fuse
1	RTN3	1/0 Gauge To 3/8" (9.5MM)
2	FS-MANL100-5N	100 AMP MINI-ANL Fuse
2	RTN10	4 Gauge To 3/8" (9.5MM)
2	FS-MANL80-5N	80 AMP MINI-ANL Fuse
1	FS-ANL250-5N	250 AMP ANL Fuse
2	FS-MANL60-5N	60 AMP MINI-ANL Fuse
1	FS-ANL200-5N	200 AMP ANL Fuse
1	FS-AGU60-5N	60 AMP AGU Fuse
1	FS-ANL150-5N	150 AMP ANL Fuse
1	FS-AGU50-5N	50 AMP AGU Fuse

TS PLANOGRAM

TSUNAMI4

DISPLAY

PRODUCTS INCLUDED:

Amp Kits & Capacitors

1	AMP04RD-RCA	4 Gauge 1600 Watt Install Kit
1	HCAP-10	10 Farad Hybrid Cap
1	AMP350-RCA	8 Gauge 350 Watt Install Kit
1	HCAP-5	5 Farad Hybrid Cap
1	AMP850BL-RCA	4 Gauge 850 Watt Install Kit
1	PP92UM-CAP	Cap 1.2 Farad W/Monitor
1	AMP350BL-RCA	8 Gauge 350 Watt Install Kit
1	PP912UM-CAP	Cap 1.2 Farad W/Monitor

RCA Cables

2	RCA7014-17	4-Channel Male To Male 17' (5.18M)
1	RCA701-Y1	1-Female To 2-Male 6" (152MM)
1	RCA701-20	Male To Male 20' (6.10M)
1	RCA701-Y2	2-Female To 1-Male 6" (152MM)
2	RCA701-17	Male To Male 17' (5.18M)
1	V950-20	Male To Male 20' (6.10M)
1	RCA701-14	Male To Male 14' (4.27M)
1	V950-17	Male To Male 17' (5.18M)
1	RCA701-10	Male To Male 10' (3.05M)
1	V950-12	Male To Male 12' (2.74M)
1	RCA701-6	Male To Male 6' (1.83M)
1	V950-9	Male To Male 9' (2.74M)
1	RCA701-3	Male To Male 3' (914MM)
1	V950-6	Male To Male 6' (1.83M)
1	RCA701-1.5	Male To Male 1.5' (457MM)
1	V950-3	Male To Male 3' (914MM)

Distribution & Fuse Blocks, Battery Terminals

2	FBW701-ANL	ANL Fuse Holder
1	DB301	Ground Block
2	FBW801-MANL	MINI-ANL Fuse Holder
2	BT706L	Pos/Neg Terminal
1	FBW701-AGU	AGU Fuse Holder
2	BT706S	Pos/Neg Terminal
1	FDB702-AGU	AGU Fuse Holder
2	BT706	Pos/Neg Terminal
2	FDB702-AGU	AGU Fuse Block
2	BT703	Pos/Neg Terminal
1	DB701	Ground Block

Accessories

1	RT810P	Heavy Duty Ring Terminal
1	FS-MANL150-5N	150 AMP MINI-ANL Fuse
1	RT804P	Heavy Duty Ring Terminal
1	FS-MANL100-5N	100 AMP MINI-ANL Fuse
1	RA804	Reducing Adapter
1	FS-MANL80-5N	80 AMP MINI-ANL Fuse
1	RT3	1/0 Gauge To 3/8" (9.5MM)
1	FS-MANL60-5N	60 AMP MINI-ANL Fuse
2	RT10	4 Gauge To 3/8" (9.5MM)
2	FS-AGU60-5N	60 AMP AGU Fuse
1	FS-ANL250-5	250 AMP ANL Fuse
1	FS-AGU50-5N	50 AMP AGU Fuse
1	FS-ANL200-5	200 AMP ANL Fuse
1	FS-AGU40-5N	40 AMP AGU Fuse
2	FS-ANL150-5	150 AMP ANL Fuse
1	FS-AGU30-5N	30 AMP AGU Fuse
2	FS-ANL100-5	100 AMP ANL Fuse

Announces Our New Exclusive Dealer Website!

MetraDealer.com

Register online today!

- Order at anytime. Day or Night!
- Always up to date with all the latest products!
- All the Metra Brands in one location for your ordering convenience.

The Installer's Choice

For more information please call your sales representative at 1-800-221-0932

Now you can have the power of Metra's Vehicle Fit Guide, Anywhere.



The iPhone and Droid apps are convenient intranet portals for quick access to Metra's parts, specs, new product info, installation videos and more:

- Enables an easy search of not only Metra products, but its other brands as well.
- Allows dealers and customers to browse and filter parts by vehicle specifics such as make, model, year and trim.
- Lets dealers quickly place orders for parts – no online payment needed, Metra does the rest.
- Showcases Metra's latest product videos located on its new YouTube channel.

Download it FREE at the Apple App Store or the Android Market!

TERMS
NET 30 DAYS FROM DATE OF INVOICE ON APPROVED ACCOUNTS. MINIMUM ORDER: $50 PER INVOICE, ORDERS LESS THAN REQUIRED MINIMUM INCUR A $20 SERVICE CHARGE.

FREIGHT
FREIGHT ON BOARD (F.O.B.) FROM POINT OF SHIPMENT.

CREDIT
IN ORDER TO ESTABLISH A CREDIT LINE WITH TSUNAMI, AN APPLICATION FOR CREDIT MUST BE SUBMITTED LISTING A MINIMUM OF TWO (2) TRADE REFERENCES AND A BANK WITH THEIR ADDRESSES AND PHONE NUMBERS AND MUST BE SIGNED BY A PRINCIPAL OR AUTHORIZED OFFICER OF THE COMPANY. A CREDIT LINE WILL BE ESTABLISHED BY OUR CREDIT MANAGER AND MUST BE MAINTAINED IN A CURRENT STATUS ACCORDING TO OUR TERMS (NET 30 DAYS). CREDIT NOT ESTABLISHED OR REVOKED REQUIRES REMITTANCE WITH ORDER. A 3% COLLECTION CHARGE WILL BE PLACED ON ANY AMOUNTS THAT ARE 30 DAYS OR MORE PAST DUE.

RESALE TAX EXEMPTION CERTIFICATE
CALIFORNIA CUSTOMERS MUST PROVIDE A VALID RESALE CARD BEFORE AN ORDER CAN BE PLACED.

CLAIMS
TITLE AND RISK OF LOSS PASSES TO BUYER AT F.O.B. SHIPPING POINT AND ALL CLAIMS MUST BE FILED WITH CARRIER. ANY DISCREPANCIES MUST BE REPORTED TO METRA WITHIN TEN (10) DAYS OF RECEIPT OF SHIPMENT.

RETURNS
ALL SALES ARE FINAL. NO RETURNS OR EXCHANGES WILL BE ALLOWED WITHOUT PRIOR WRITTEN AUTHORIZATION FROM TSUNAMI. ALL RETURNS ARE SUBJECT TO A 20% HANDLING CHARGE, MUST BE IN A SALEABLE CONDITION, AND MUST HAVE BEEN PURCHASED WITHIN SIXTY (60) DAYS OF RETURN REQUEST. NO STOCK BALANCING PERMITTED. COPIES OF INVOICES MUST BE MAILED IN ADVANCE FOR ANY RETURN AUTHORIZATION (R.A.)

LIMITED WARRANTY
TSUNAMI WARRANTS ALL OF ITS PRODUCTS TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF 1 YEAR FROM DATE OF PURCHASE. TSUNAMI WILL, AT ITS OPTION, REPAIR, REPLACE OR ALLOW CREDIT ON ANY PART WHICH, IN TSUNAMI'S OPINION, IS FOUND DEFECTIVE UNDER NORMAL USE. WARRANTY VOID ON ITEMS MISUSED, ALTERED IN ANY WAY, TAMPERED WITH OR SERVICED BY ANYONE OTHER THAN TSUNAMI. THIS WARRANTY OF MERCHANTABILITY OF FITNESS NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT, ANY OTHER LIABILITY IN CONNECTION WITH ITS PRODUCTS. IN NO EVENT SHALL WE BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR DO WE ASSUME ANY OTHER LIABILITY EXCEPT PROVIDED HEREIN.

BACK-ORDERS
IF AN ITEM IS TEMPORARILY UNAVAILABLE FOR IMMEDIATE SHIPMENT, WE WILL BACK-ORDER THE ITEM AND SHIP AS SOON AS POSSIBLE FROM THE NEAREST AVAILABLE WAREHOUSE, UNLESS OTHERWISE INSTRUCTED.

TSUNAMI RESERVES THE RIGHT TO MAKE CHANGES IN OR DELETIONS OF PRODUCTS OR PRICES WITHOUT PRIOR NOTICE.

*TSUNAMI WILL NOT ASSUME ANY RESPONSIBILITY FOR DAMAGES TO PERSON OR PROPERTY DUE TO INCORRECT INTERPRETATION OF THE MATERIAL IN THIS PUBLICATION. TSUNAMI IS NOT RESPONSIBLE FOR TYPOGRAPHICAL OR PRINTING ERRORS. REPRODUCTIONS OF EDITORIAL OR PICTORIAL CONTENT IS STRICTLY PROHIBITED WITHOUT PRIOR CONSENT FROM TSUNAMI.

AMEX, VISA AND MASTERCARD ACCEPTED

460 Walker Street,
Holly Hill, FL 32117-2699
Local: 386.257.1186
Fax: 386.255.3965

Shipping Only
Dallas, TX
Lakewood, NJ
Long Beach, CA
Lexington, KY

800-221-0932
tsunamionline.com
TS-CAT11